

ABSTANDSBOLZEN INNEN/INNENGEWINDE M5/M5 – Ø 10,0



Technische Beschreibung


Material: PA 6 , 25%GV

Entflammbarkeit: HB (UL 94)

Farbe: schwarz

Temperaturbereich: -30°C bis +110°C

Alle Maße sind in mm



Artikel	A	B	C	D	VPE-Stckz.
10046BB0104.0	4,0	Ø 10,0	M5	M5	500
10046BB0105.0	5,0	Ø 10,0	M5	M5	500
10046BB0106.0	6,0	Ø 10,0	M5	M5	500
10046BB0107.0	7,0	Ø 10,0	M5	M5	500
10046BB0108.0	8,0	Ø 10,0	M5	M5	500
10046BB0109.0	9,0	Ø 10,0	M5	M5	500

Artikel	A	B	C	D	VPE-Stckz.
10046BB0110.0	10,0	Ø 10,0	M5	M5	500
10046BB0111.0	11,0	Ø 10,0	M5	M5	500
10046BB0112.0	12,0	Ø 10,0	M5	M5	500
10046BB0113.0	13,0	Ø 10,0	M5	M5	500
10046BB0114.0	14,0	Ø 10,0	M5	M5	500
10046BB0115.0	15,0	Ø 10,0	M5	M5	500
10046BB0116.0	16,0	Ø 10,0	M5	M5	500
10046BB0117.0	17,0	Ø 10,0	M5	M5	500
10046BB0118.0	18,0	Ø 10,0	M5	M5	500
10046BB0119.0	19,0	Ø 10,0	M5	M5	500
10046BB0120.0	20,0	Ø 10,0	M5	M5	500
10046BB0121.0	21,0	Ø 10,0	M5	M5	500
10046BB0122.0	22,0	Ø 10,0	M5	M5	500
10046BB0123.0	23,0	Ø 10,0	M5	M5	500
10046BB0124.0	24,0	Ø 10,0	M5	M5	500
10046BB0125.0	25,0	Ø 10,0	M5	M5	500
10046BB0126.0	26,0	Ø 10,0	M5	M5	500
10046BB0127.0	27,0	Ø 10,0	M5	M5	500
10046BB0128.0	28,0	Ø 10,0	M5	M5	500
10046BB0129.0	29,0	Ø 10,0	M5	M5	500
10046BB0130.0	30,0	Ø 10,0	M5	M5	500
10046BB0131.0	31,0	Ø 10,0	M5	M5	500
10046BB0132.0	32,0	Ø 10,0	M5	M5	500
10046BB0133.0	33,0	Ø 10,0	M5	M5	500
10046BB0134.0	34,0	Ø 10,0	M5	M5	500
10046BB0135.0	35,0	Ø 10,0	M5	M5	500
10046BB0136.0	36,0	Ø 10,0	M5	M5	500
10046BB0137.0	37,0	Ø 10,0	M5	M5	500
10046BB0138.0	38,0	Ø 10,0	M5	M5	500
10046BB0139.0	39,0	Ø 10,0	M5	M5	500
10046BB0140.0	40,0	Ø 10,0	M5	M5	500

Artikel	A	B	C	D	VPE-Stckz.
10046BB0141.0	41,0	Ø 10,0	M5	M5	500
10046BB0142.0	42,0	Ø 10,0	M5	M5	500
10046BB0143.0	43,0	Ø 10,0	M5	M5	500
10046BB0144.0	44,0	Ø 10,0	M5	M5	500
10046BB0145.0	45,0	Ø 10,0	M5	M5	500
10046BB0146.0	46,0	Ø 10,0	M5	M5	500
10046BB0147.0	47,0	Ø 10,0	M5	M5	500
10046BB0148.0	48,0	Ø 10,0	M5	M5	500
10046BB0149.0	49,0	Ø 10,0	M5	M5	500
10046BB0150.0	50,0	Ø 10,0	M5	M5	500
10046BB0151.0	51,0	Ø 10,0	M5	M5	500
10046BB0152.0	52,0	Ø 10,0	M5	M5	500
10046BB0153.0	53,0	Ø 10,0	M5	M5	500
10046BB0154.0	54,0	Ø 10,0	M5	M5	500
10046BB0155.0	55,0	Ø 10,0	M5	M5	500
10046BB0156.0	56,0	Ø 10,0	M5	M5	500
10046BB0157.0	57,0	Ø 10,0	M5	M5	500
10046BB0158.0	58,0	Ø 10,0	M5	M5	500
10046BB0159.0	59,0	Ø 10,0	M5	M5	500
10046BB0160.0	60,0	Ø 10,0	M5	M5	500
10046BB0161.0	61,0	Ø 10,0	M5	M5	500
10046BB0162.0	62,0	Ø 10,0	M5	M5	500
10046BB0163.0	63,0	Ø 10,0	M5	M5	500
10046BB0164.0	64,0	Ø 10,0	M5	M5	500
10046BB0165.0	65,0	Ø 10,0	M5	M5	500