

# FLACHKOPFSCHRAUBE MIT SCHLITZ DIN85



## Technische Beschreibung

**Material:** PA 6


**Temperaturbereich:** -30° bis max. +100°C

**ähnliche DIN EN ISO 1580**

**ehemals DIN85**

**Farbe:** Natur

Alle Maße in mm



| Artikel       | A   | B    | C   | VPE-Stckz. |
|---------------|-----|------|-----|------------|
| 15671AA0004.0 | M 2 | 4,0  | 4,0 | 1.000      |
| 15671AA0006.0 | M 2 | 6,0  | 4,0 | 1.000      |
| 15671AA0008.0 | M 2 | 8,0  | 4,0 | 1.000      |
| 15671AA0010.0 | M 2 | 10,0 | 4,0 | 1.000      |
| 15671AA0012.0 | M 2 | 12,0 | 4,0 | 1.000      |
| 15671AA0016.0 | M 2 | 16,0 | 4,0 | 1.000      |
| 15671AA0020.0 | M 2 | 20,0 | 4,0 | 1.000      |
| 15671AA0025.0 | M 2 | 25,0 | 4,0 | 1.000      |

| Artikel       | A     | B    | C   | VPE-Stckz. |
|---------------|-------|------|-----|------------|
| 15671AA0005.0 | M 2   | 5,0  | 4,0 | 1.000      |
| 15672AA0012.0 | M 2.5 | 12,0 | 5,0 | 1.000      |
| 15672AA0025.0 | M 2.5 | 25,0 | 5,0 | 1.000      |
| 15672AA0020.0 | M 2.5 | 20,0 | 5,0 | 1.000      |
| 15672AA0016.0 | M 2.5 | 16,0 | 5,0 | 1.000      |
| 15672AA0004.5 | M 2.5 | 4,5  | 5,0 | 1.000      |
| 15672AA0010.0 | M 2.5 | 10,0 | 5,0 | 1.000      |
| 15672AA0006.0 | M 2.5 | 6,0  | 5,0 | 1.000      |
| 15672AA0005.0 | M 2.5 | 5,0  | 5,0 | 1.000      |
| 15672AA0008.0 | M 2.5 | 8,0  | 5,0 | 1.000      |
| 15672AA0004.0 | M 2.5 | 4,0  | 5,0 | 1.000      |
| 10311AA0020.0 | M 3   | 20,0 | 6,0 | 1.000      |
| 10311AA0030.0 | M 3   | 30,0 | 6,0 | 1.000      |
| 10311AA0028.0 | M 3   | 28,0 | 6,0 | 1.000      |
| 10311AA0025.0 | M 3   | 25,0 | 6,0 | 1.000      |
| 10311AA0022.0 | M 3   | 22,0 | 6,0 | 1.000      |
| 10311AA0018.0 | M 3   | 18,0 | 6,0 | 1.000      |
| 10311AA0016.0 | M 3   | 16,0 | 6,0 | 1.000      |
| 10311AA0014.0 | M 3   | 14,0 | 6,0 | 1.000      |
| 10311AA0012.0 | M 3   | 12,0 | 6,0 | 1.000      |
| 10311AA0010.0 | M 3   | 10,0 | 6,0 | 1.000      |
| 10311AA0008.0 | M 3   | 8,0  | 6,0 | 1.000      |
| 10311AA0006.0 | M 3   | 6,0  | 6,0 | 1.000      |
| 10311AA0005.0 | M 3   | 5,0  | 6,0 | 1.000      |
| 10311AA0004.0 | M 3   | 4,0  | 6,0 | 1.000      |
| 10312AA0018.0 | M 4   | 18,0 | 8,0 | 1.000      |
| 10312AA0030.0 | M 4   | 30,0 | 8,0 | 1.000      |
| 10312AA0028.0 | M 4   | 28,0 | 8,0 | 1.000      |
| 10312AA0025.0 | M 4   | 25,0 | 8,0 | 1.000      |
| 10312AA0022.0 | M 4   | 22,0 | 8,0 | 1.000      |
| 10312AA0020.0 | M 4   | 20,0 | 8,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10312AA0004.0 | M 4 | 4,0  | 8,0  | 1.000      |
| 10312AA0016.0 | M 4 | 16,0 | 8,0  | 1.000      |
| 10312AA0014.0 | M 4 | 14,0 | 8,0  | 1.000      |
| 10312AA0012.0 | M 4 | 12,0 | 8,0  | 1.000      |
| 10312AA0010.0 | M 4 | 10,0 | 8,0  | 1.000      |
| 10312AA0008.0 | M 4 | 8,0  | 8,0  | 1.000      |
| 10312AA0006.0 | M 4 | 6,0  | 8,0  | 1.000      |
| 10312AA0005.0 | M 4 | 5,0  | 8,0  | 1.000      |
| 10313AA0035.0 | M 5 | 35,0 | 10,0 | 1.000      |
| 10313AA0030.0 | M 5 | 30,0 | 10,0 | 1.000      |
| 10313AA0025.0 | M 5 | 25,0 | 10,0 | 1.000      |
| 10313AA0020.0 | M 5 | 20,0 | 10,0 | 1.000      |
| 10313AA0016.0 | M 5 | 16,0 | 10,0 | 1.000      |
| 10313AA0014.0 | M 5 | 14,0 | 10,0 | 1.000      |
| 10313AA0010.0 | M 5 | 10,0 | 10,0 | 1.000      |
| 10313AA0008.0 | M 5 | 8,0  | 10,0 | 1.000      |
| 10313AA0012.0 | M 5 | 12,0 | 10,0 | 1.000      |
| 10313AA0006.0 | M 5 | 6,0  | 10,0 | 1.000      |
| 10314AA0020.0 | M 6 | 20,0 | 12,0 | 1.000      |
| 10314AA0035.0 | M 6 | 35,0 | 12,0 | 1.000      |
| 10314AA0030.0 | M 6 | 30,0 | 12,0 | 1.000      |
| 10314AA0025.0 | M 6 | 25,0 | 12,0 | 1.000      |
| 10314AA0008.0 | M 6 | 8,0  | 12,0 | 1.000      |
| 10314AA0016.0 | M 6 | 16,0 | 12,0 | 1.000      |
| 10314AA0012.0 | M 6 | 12,0 | 12,0 | 1.000      |
| 10314AA0010.0 | M 6 | 10,0 | 12,0 | 1.000      |
| 10314AA0006.0 | M 6 | 6,0  | 12,0 | 1.000      |
| 10314AA0015.0 | M 6 | 15,0 | 12,0 | 1.000      |
| 10314AA0005.0 | M 6 | 5,0  | 12,0 | 1.000      |
| 10315AA0018.0 | M 8 | 18,0 | 15,0 | 1.000      |
| 10315AA0035.0 | M 8 | 35,0 | 15,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10315AA0030.0 | M 8 | 30,0 | 15,0 | 1.000      |
| 10315AA0025.0 | M 8 | 25,0 | 15,0 | 1.000      |
| 10315AA0020.0 | M 8 | 20,0 | 15,0 | 1.000      |
| 10315AA0023.0 | M 8 | 23,0 | 15,0 | 1.000      |
| 10315AA0016.0 | M 8 | 16,0 | 15,0 | 1.000      |
| 10315AA0012.0 | M 8 | 12,0 | 15,0 | 1.000      |
| 10315AA0010.0 | M 8 | 10,0 | 15,0 | 1.000      |
| 10315AA0008.0 | M 8 | 8,0  | 15,0 | 1.000      |
| 10315AA0006.0 | M 8 | 6,0  | 15,0 | 1.000      |
| 10315AA0005.0 | M 8 | 5,0  | 15,0 | 1.000      |
| 10315AA0004.0 | M 8 | 4,0  | 15,0 | 1.000      |
| 10315AA0015.0 | M 8 | 15,0 | 15,0 | 1.000      |
| 10316AA0016.0 | M10 | 16,0 | 20,0 | 1.000      |
| 10316AA0035.0 | M10 | 35,0 | 20,0 | 1.000      |
| 10316AA0030.0 | M10 | 30,0 | 20,0 | 1.000      |
| 10316AA0025.0 | M10 | 25,0 | 20,0 | 1.000      |
| 10316AA0020.0 | M10 | 20,0 | 20,0 | 1.000      |
| 10316AA0014.0 | M10 | 14,0 | 20,0 | 1.000      |
| 10316AA0012.0 | M10 | 12,0 | 20,0 | 1.000      |
| 10316AA0010.0 | M10 | 10,0 | 20,0 | 1.000      |
| 10316AA0008.0 | M10 | 8,0  | 20,0 | 1.000      |
| 10316AA0004.0 | M10 | 4,0  | 20,0 | 1.000      |
| 10316AA0006.0 | M10 | 6,0  | 20,0 | 1.000      |
| 10317AA0009.0 | M12 | 9,0  | 20,0 | 1.000      |
| 10317AA0010.0 | M12 | 10,0 | 20,0 | 1.000      |
| 10317AA0012.0 | M12 | 12,0 | 20,0 | 1.000      |
| 10317AA0015.0 | M12 | 15,0 | 20,0 | 1.000      |
| 10317AA0020.0 | M12 | 20,0 | 20,0 | 1.000      |
| 10317AA0025.0 | M12 | 25,0 | 20,0 | 1.000      |
| 10317AA0030.0 | M12 | 30,0 | 20,0 | 1.000      |
| 10317AA0035.0 | M12 | 35,0 | 20,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10317AA0040.0 | M12 | 40,0 | 20,0 | 1.000      |
| 10317AA0045.0 | M12 | 45,0 | 20,0 | 1.000      |