

# SCHLITZSCHRAUBEN DIN EN ISO 1207 (EX DIN 84)



## Technische Beschreibung

**Material:** PA 6


**Farbe :** natur

**ähnlich DIN EN ISO 1207  
( ehemals DIN84 )**

**Betriebstemperatur:**

-30° C bis + max. 100° C

Alle Maße sind in mm.



| Artikel       | A     | B    | C   | VPE-Stckz. |
|---------------|-------|------|-----|------------|
| 18176AA0025.0 | M 2   | 25,0 | 3,8 | 1.000      |
| 18176AA0020.0 | M 2   | 20,0 | 3,8 | 1.000      |
| 18176AA0016.0 | M 2   | 16,0 | 3,8 | 1.000      |
| 18176AA0012.0 | M 2   | 12,0 | 3,8 | 1.000      |
| 18176AA0010.0 | M 2   | 10,0 | 3,8 | 1.000      |
| 18176AA0008.0 | M 2   | 8,0  | 3,8 | 1.000      |
| 18176AA0006.0 | M 2   | 6,0  | 3,8 | 1.000      |
| 18176AA0005.0 | M 2   | 5,0  | 3,8 | 1.000      |
| 18176AA0004.0 | M 2   | 4,0  | 3,8 | 1.000      |
| 18177AA0008.0 | M 2,5 | 8,0  | 4,5 | 1.000      |

| Artikel       | A     | B    | C   | VPE-Stckz. |
|---------------|-------|------|-----|------------|
| 18177AA0004.0 | M 2,5 | 4,0  | 4,5 | 1.000      |
| 18177AA0005.0 | M 2,5 | 5,0  | 4,5 | 1.000      |
| 18177AA0006.0 | M 2,5 | 6,0  | 4,5 | 1.000      |
| 18177AA0004.5 | M 2,5 | 4,5  | 4,5 | 1.000      |
| 18177AA0025.0 | M 2,5 | 25,0 | 4,5 | 1.000      |
| 18177AA0010.0 | M 2,5 | 10,0 | 4,5 | 1.000      |
| 18177AA0012.0 | M 2,5 | 12,0 | 4,5 | 1.000      |
| 18177AA0016.0 | M 2,5 | 16,0 | 4,5 | 1.000      |
| 18177AA0020.0 | M 2,5 | 20,0 | 4,5 | 1.000      |
| 10302AA0006.0 | M 3   | 6,0  | 5,5 | 1.000      |
| 10302AA0004.0 | M 3   | 4,0  | 5,5 | 1.000      |
| 10302AA0005.0 | M 3   | 5,0  | 5,5 | 1.000      |
| 10302AA0008.0 | M 3   | 8,0  | 5,5 | 1.000      |
| 10302AA0025.0 | M 3   | 25,0 | 5,5 | 1.000      |
| 10302AA0010.0 | M 3   | 10,0 | 5,5 | 1.000      |
| 10302AA0012.0 | M 3   | 12,0 | 5,5 | 1.000      |
| 10302AA0014.0 | M 3   | 14,0 | 5,5 | 1.000      |
| 10302AA0016.0 | M 3   | 16,0 | 5,5 | 1.000      |
| 10302AA0018.0 | M 3   | 18,0 | 5,5 | 1.000      |
| 10302AA0020.0 | M 3   | 20,0 | 5,5 | 1.000      |
| 10302AA0022.0 | M 3   | 22,0 | 5,5 | 1.000      |
| 10302AA0028.0 | M 3   | 28,0 | 5,5 | 1.000      |
| 10302AA0030.0 | M 3   | 30,0 | 5,5 | 1.000      |
| 10303AA0016.0 | M 4   | 16,0 | 7,0 | 1.000      |
| 10303AA0004.0 | M 4   | 4,0  | 7,0 | 1.000      |
| 10303AA0005.0 | M 4   | 5,0  | 7,0 | 1.000      |
| 10303AA0022.0 | M 4   | 22,0 | 7,0 | 1.000      |
| 10303AA0006.0 | M 4   | 6,0  | 7,0 | 1.000      |
| 10303AA0008.0 | M 4   | 8,0  | 7,0 | 1.000      |
| 10303AA0018.0 | M 4   | 18,0 | 7,0 | 1.000      |
| 10303AA0010.0 | M 4   | 10,0 | 7,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10303AA0012.0 | M 4 | 12,0 | 7,0  | 1.000      |
| 10303AA0020.0 | M 4 | 20,0 | 7,0  | 1.000      |
| 10303AA0014.0 | M 4 | 14,0 | 7,0  | 1.000      |
| 10303AA0025.0 | M 4 | 25,0 | 7,0  | 1.000      |
| 10303AA0028.0 | M 4 | 28,0 | 7,0  | 1.000      |
| 10303AA0030.0 | M 4 | 30,0 | 7,0  | 1.000      |
| 10304AA0025.0 | M 5 | 25,0 | 8,5  | 1.000      |
| 10304AA0016.0 | M 5 | 16,0 | 8,5  | 1.000      |
| 10304AA0004.0 | M 5 | 4,0  | 8,5  | 1.000      |
| 10304AA0006.0 | M 5 | 6,0  | 8,5  | 1.000      |
| 10304AA0008.0 | M 5 | 8,0  | 8,5  | 1.000      |
| 10304AA0010.0 | M 5 | 10,0 | 8,5  | 1.000      |
| 10304AA0012.0 | M 5 | 12,0 | 8,5  | 1.000      |
| 10304AA0035.0 | M 5 | 35,0 | 8,5  | 1.000      |
| 10304AA0030.0 | M 5 | 30,0 | 8,5  | 1.000      |
| 10304AA0014.0 | M 5 | 14,0 | 8,5  | 1.000      |
| 10304AA0020.0 | M 5 | 20,0 | 8,5  | 1.000      |
| 10305AA0016.0 | M 6 | 16,0 | 10,0 | 1.000      |
| 10305AA0015.0 | M 6 | 15,0 | 10,0 | 1.000      |
| 10305AA0005.0 | M 6 | 5,0  | 10,0 | 1.000      |
| 10305AA0006.0 | M 6 | 6,0  | 10,0 | 1.000      |
| 10305AA0008.0 | M 6 | 8,0  | 10,0 | 1.000      |
| 10305AA0010.0 | M 6 | 10,0 | 10,0 | 1.000      |
| 10305AA0012.0 | M 6 | 12,0 | 10,0 | 1.000      |
| 10305AA0035.0 | M 6 | 35,0 | 10,0 | 1.000      |
| 10305AA0030.0 | M 6 | 30,0 | 10,0 | 1.000      |
| 10305AA0025.0 | M 6 | 25,0 | 10,0 | 1.000      |
| 10305AA0020.0 | M 6 | 20,0 | 10,0 | 1.000      |
| 10306AA0008.0 | M 8 | 8,0  | 13,0 | 1.000      |
| 10306AA0016.0 | M 8 | 16,0 | 13,0 | 1.000      |
| 10306AA0035.0 | M 8 | 35,0 | 13,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10306AA0004.0 | M 8 | 4,0  | 13,0 | 1.000      |
| 10306AA0005.0 | M 8 | 5,0  | 13,0 | 1.000      |
| 10306AA0006.0 | M 8 | 6,0  | 13,0 | 1.000      |
| 10306AA0010.0 | M 8 | 10,0 | 13,0 | 1.000      |
| 10306AA0012.0 | M 8 | 12,0 | 13,0 | 1.000      |
| 10306AA0015.0 | M 8 | 15,0 | 13,0 | 1.000      |
| 10306AA0018.0 | M 8 | 18,0 | 13,0 | 1.000      |
| 10306AA0020.0 | M 8 | 20,0 | 13,0 | 1.000      |
| 10306AA0023.0 | M 8 | 23,0 | 13,0 | 1.000      |
| 10306AA0025.0 | M 8 | 25,0 | 13,0 | 1.000      |
| 10306AA0030.0 | M 8 | 30,0 | 13,0 | 1.000      |
| 10307AA0006.0 | M10 | 6,0  | 16,0 | 1.000      |
| 10307AA0020.0 | M10 | 20,0 | 16,0 | 1.000      |
| 10307AA0010.0 | M10 | 10,0 | 16,0 | 1.000      |
| 10307AA0008.0 | M10 | 8,0  | 16,0 | 1.000      |
| 10307AA0012.0 | M10 | 12,0 | 16,0 | 1.000      |
| 10307AA0023.0 | M10 | 23,0 | 16,0 | 1.000      |
| 10307AA0014.0 | M10 | 14,0 | 16,0 | 1.000      |
| 10307AA0025.0 | M10 | 25,0 | 16,0 | 1.000      |
| 10307AA0030.0 | M10 | 30,0 | 16,0 | 1.000      |
| 10307AA0035.0 | M10 | 35,0 | 16,0 | 1.000      |
| 10307AA0004.0 | M10 | 4,0  | 16,0 | 1.000      |
| 10307AA0016.0 | M10 | 16,0 | 16,0 | 1.000      |
| 10308AA0030.0 | M12 | 30,0 | 16,0 | 1.000      |
| 10308AA0025.0 | M12 | 25,0 | 16,0 | 1.000      |
| 10308AA0035.0 | M12 | 35,0 | 16,0 | 1.000      |
| 10308AA0015.0 | M12 | 15,0 | 16,0 | 1.000      |
| 10308AA0012.0 | M12 | 12,0 | 16,0 | 1.000      |
| 10308AA0010.0 | M12 | 10,0 | 16,0 | 1.000      |
| 10308AA0009.0 | M12 | 9,0  | 16,0 | 1.000      |
| 10308AA0040.0 | M12 | 40,0 | 16,0 | 1.000      |

| Artikel       | A   | B    | C    | VPE-Stckz. |
|---------------|-----|------|------|------------|
| 10308AA0045.0 | M12 | 45,0 | 16,0 | 1.000      |
| 10308AA0020.0 | M12 | 20,0 | 16,0 | 1.000      |