

ROHRSCHUTZSTOPFEN




Technische Beschreibung

Material: Polyethylen LD-PE

Temperaturbereich: -30°C ~ +70°C

Farbe: Natur

*Alle Maße in mm



Artikel	A	B	C	D	VPE-Stckz.
3790EA00	2,0	6,5	3,0	2,25	25.000
3791EA00	2,5	6,5	3,5	2,0	25.000
3792EA00	3,0	6,5	4,5	1,75	25.000
3793EA00	3,5	7,0	4,5	1,75	25.000
3794EA00	4,0	7,5	5,0	1,75	25.000
1001EA00	4,5	8,0	5,0	1,75	25.000
1004EA00	5,0	9,0	6,0	2,0	20.000
1006EA00	5,5	9,0	6,0	1,75	25.000

Artikel	A	B	C	D	VPE-Stckz.
1003EA00	6,0	9,5	6,0	1,75	10.000
1000EA00	6,5	10,0	7,0	1,75	10.000
3795EA00	7,0	10,0	6,0	1,5	10.000
3796EA00	7,5	10,5	6,5	1,5	10.000
1002EA00	8,0	11,0	7,0	1,5	10.000
1005EA00	8,5	11,5	7,5	1,5	10.000
3517EA00	9,0	11,5	7,5	1,5	10.000
3797EA00	9,5	12,5	7,5	1,5	10.000
3798EA00	10,0	13,0	8,5	1,5	25.000
3799EA00	10,5	13,5	8,5	1,5	25.000
3800EA00	11,0	14,5	8,5	1,75	10.000
3801EA00	11,5	14,5	8,5	1,5	10.000
3518EA00	12,0	14,5	9,0	1,25	10.000
3802EA00	12,5	15,5	9,0	1,5	10.000
3803EA00	13,0	16,5	9,5	1,75	12.500
3804EA00	13,5	16,5	9,5	1,5	12.500
3519EA00	14,0	17,5	10,0	1,75	12.500
3805EA00	14,5	17,5	9,5	1,5	12.500
3520EA00	15,0	18,0	9,5	1,5	10.000
3521EA00	15,5	18,5	9,5	1,5	10.000
3806EA00	16,0	19,5	10,0	1,75	12.500
3522EA00	16,5	19,5	10,5	1,5	10.000
3523EA00	17,0	20,5	10,5	1,75	10.000
3807EA00	17,5	21,0	10,5	1,75	10.000
3524EA00	18,0	21,5	10,5	1,75	10.000
3808EA00	18,5	23,0	10,0	2,25	9.000
3525EA00	19,0	22,0	10,0	1,5	9.000
3809EA00	19,5	23,0	10,5	1,75	8.500
3526EA00	20,0	23,5	11,0	1,75	10.000
3527EA00	20,5	24,5	10,5	2,0	7.000
3528EA00	21,0	24,5	11,0	1,75	6.500

Artikel	A	B	C	D	VPE-Stckz.
3529EA00	21,5	25,5	11,0	2,0	6.500
3810EA00	22,0	25,5	11,0	1,75	6.500
3811EA00	22,5	26,0	10,5	1,75	6.000
3812EA00	23,0	27,0	10,5	2,0	6.000
3530EA00	23,5	27,5	10,5	2,0	6.000
3531EA00	24,0	28,0	11,5	2,0	5.000
1007EA00	24,5	28,0	10,5	1,75	5.000
3533EA00	25,0	30,0	11,0	2,5	5.000
3813EA00	25,5	29,0	10,5	1,75	5.000
3534EA00	26,0	30,5	10,5	2,25	5.000
3814EA00	26,5	30,0	10,5	1,75	5.000
3815EA00	27,0	31,0	9,5	2,0	5.000
3535EA00	27,5	31,0	10,5	1,75	4.000
3816EA00	28,0	32,5	10,5	2,25	4.000
3817EA00	28,5	32,0	10,0	1,75	4.000
3818EA00	29,0	32,0	9,5	1,5	4.000
3819EA00	29,5	33,0	10,5	1,75	3.750
3820EA00	30,0	33,0	10,0	1,5	3.750
3821EA00	30,5	34,0	10,0	1,75	3.000
1008EA00	31,0	36,0	10,5	2,5	3.250
3822EA00	31,5	35,0	10,5	1,75	3.250
3823EA00	32,0	37,0	10,5	2,5	3.000
3824EA00	32,5	37,5	10,5	2,5	3.000
3825EA00	33,0	38,0	10,5	2,5	3.000
3537EA00	33,5	37,5	10,5	2,0	3.000
3538EA00	34,0	38,5	10,5	2,25	3.000
3826EA00	34,5	38,0	10,5	1,75	3.000
3827EA00	35,0	40,0	10,5	2,5	2.750
3828EA00	35,5	39,0	10,5	1,75	2.500
3829EA00	36,0	41,0	11,0	2,5	2.500
3830EA00	36,5	40,0	10,5	1,75	2.500

Artikel	A	B	C	D	VPE-Stckz.
3831EA00	37,0	42,0	11,0	2,5	2.500
3832EA00	37,5	41,5	10,5	2,0	2.500
3833EA00	38,0	43,0	10,5	2,5	2.250
3834EA00	38,5	42,0	10,5	1,75	2.250
3835EA00	39,0	44,0	10,5	2,5	2.250
1009EA00	39,5	45,0	12,5	2,75	2.250
3836EA00	40,0	45,0	10,5	2,5	2.000
3838EA00	41,0	46,0	10,5	2,5	2.500
3839EA00	42,0	46,5	10,5	2,25	1.750
3840EA00	43,0	48,0	12,5	2,5	2.250
3841EA00	44,0	49,0	10,5	2,5	1.750
3540EA00	45,0	50,0	12,5	2,5	1.750
1010EA00	46,0	51,0	12,5	2,5	1.750
3842EA00	47,0	51,5	10,5	2,25	1.750
3843EA00	48,0	53,0	10,5	2,5	1.500
4998EA00	48,5	52,0	10,5	1,75	1.500
3844EA00	49,0	54,5	11,0	2,25	1.250
3845EA00	50,0	54,0	10,0	2,0	1.250
3846EA00	51,0	56,0	11,0	2,5	1.250
3847EA00	52,0	57,5	11,0	2,75	1.250
3848EA00	53,0	59,0	11,0	3,0	1.250
4999EA00	53,5	55,5	9,5	1,0	1.250
3542EA00	54,0	61,0	11,0	3,5	1.000
3849EA00	55,0	61,0	10,0	3,0	1.000
3850EA00	56,0	63,0	12,0	3,5	1.000
5245EA00	56,5	59,5	10,5	1,5	1.000
3851EA00	57,0	61,0	10,0	2,0	1.000
3853EA00	58,0	65,0	11,0	3,5	900
3854EA00	59,0	65,0	11,0	3,0	900
3855EA00	60,0	65,0	11,0	2,5	900
3856EA00	61,0	67,5	11,0	3,25	900

Artikel	A	B	C	D	VPE-Stckz.
3858EA00	62,0	68,0	11,0	3,0	900
3859EA00	63,0	66,5	10,0	1,75	900
5246EA00	63,5	70,0	10,5	3,25	900
3861EA00	64,0	67,5	9,5	1,75	900
3862EA00	65,0	69,0	10,0	2,0	900
3863EA00	66,0	71,0	12,0	2,5	800
3864EA00	67,0	73,0	10,0	3,0	750
3865EA00	68,0	75,0	11,0	4,0	750
3866EA00	69,0	75,0	10,5	3,0	750
3867EA00	70,0	74,0	11,0	2,0	750
3868EA00	71,0	74,5	11,0	1,75	700
5247EA00	71,5	74,5	10,5	1,5	700
3870EA00	72,0	79,0	12,0	3,5	650
3871EA00	73,0	76,5	9,5	1,75	650
3872EA00	74,0	77,5	10,5	1,75	650
3874EA00	75,0	79,0	9,5	2,0	750
3875EA00	76,0	80,0	10,5	2,0	625
3876EA00	77,0	81,0	9,5	2,0	625
3877EA00	78,0	82,0	10,5	2,0	600
3878EA00	79,0	86,0	13,5	2,5	600
3879EA00	80,0	84,0	9,5	2,0	600
3880EA00	81,0	85,0	9,5	2,0	600
3881EA00	82,0	85,5	9,5	1,75	600
3882EA00	83,0	86,5	9,5	1,75	550
3883EA00	84,0	90,0	10,0	2,0	500
5248EA00	84,5	90,0	8,0	2,75	500
3885EA00	85,0	88,5	9,5	1,75	500
3887EA00	86,0	92,0	9,5	3,0	450
3888EA00	86,5	89,0	10,0	1,25	450
3889EA00	87,0	90,5	9,5	1,75	450
3890EA00	88,0	91,5	9,5	1,75	450

Artikel	A	B	C	D	VPE-Stckz.
5249EA00	89,0	92,5	9,5	1,75	450
5250EA00	90,0	92,5	10,0	1,25	450
5251EA00	91,0	93,0	9,5	1,0	400
5252EA00	92,0	94,5	9,5	1,25	400
5253EA00	93,0	96,0	9,5	3,0	400
5254EA00	94,0	97,0	9,5	1,5	400
5255EA00	95,0	97,0	9,0	1,0	400
5256EA00	96,0	98,0	9,5	1,0	375
5257EA00	97,0	99,0	9,5	1,0	375
5258EA00	98,0	100,0	10,0	1,0	350
5259EA00	99,0	102,0	9,5	1,5	350
5260EA00	100,0	104,5	10,5	2,25	350
5261EA00	101,0	105,0	10,5	2,0	350
5262EA00	103,0	106,0	11,0	1,5	325
5263EA00	104,0	106,5	11,0	1,25	325
5264EA00	105,0	108,0	10,5	1,5	275
5265EA00	106,0	109,5	10,5	1,75	275
5266EA00	107,0	110,0	10,5	1,5	275
5267EA00	108,0	111,5	10,5	1,75	250
5268EA00	110,0	114,0	12,5	2,0	250
3891EA00	111,0	115,0	13,5	2,0	225
5269EA00	112,0	116,0	10,5	2,0	200
5270EA00	115,0	118,5	12,0	1,75	200
5271EA00	121,0	124,0	12,0	1,5	175
5272EA00	125,0	130,0	13,5	2,5	150
5273EA00	130,0	134,0	13,5	2,0	150
5274EA00	132,0	136,5	13,0	2,25	150
5275EA00	140,0	144,0	13,5	2,0	125
5276EA00	150,0	154,0	14,5	2,0	100
5277EA00	160,0	167,0	14,0	3,5	200
5278EA00	167,0	178,0	17,5	5,5	200

Artikel	A	B	C	D	VPE-Stckz.
5279EA00	180,0	187,0	14,5	3,5	150
5280EA00	184,0	194,0	16,0	5,0	100
5281EA00	186,0	194,0	16,0	4,0	200
5282EA00	200,0	208,0	14,0	4,0	200
5283EA00	208,0	220,0	15,0	6,0	50
5284EA00	233,0	245,0	16,0	6,0	50
5285EA00	250,0	259,0	14,5	4,5	60
5286EA00	261,0	273,0	16,0	2,0	40
5287EA00	285,0	298,0	18,0	6,5	100
5288EA00	311,0	324,0	18,0	6,5	50