


RECESSED COUNTERSUNK HEAD SCREW DIN 34811 (EX DIN 965)



Technical description

Material: PA 6


Colour : Natural

estimate according: DIN 34811 (ex DIN 965)

Operating temperature:

-30° C ~ + max. 100° C

All dimensions are in mm.



Code	A	B	C	MOQ-Pcs
10372AA0004.0	M2.5	4,0	4,7	1.000
10372AA0005.0	M2.5	5,0	4,7	1.000
10372AA0006.0	M2.5	6,0	4,7	1.000
10372AA0008.0	M2.5	8,0	4,7	1.000
10372AA0010.0	M2.5	10,0	4,7	1.000

Code	A	B	C	MOQ-Pcs
10372AA0012.0	M2.5	12,0	4,7	1.000
10372AA0016.0	M2.5	16,0	4,7	1.000
10372AA0020.0	M2.5	20,0	4,7	1.000
10372AA0025.0	M2.5	25,0	4,7	1.000
10373AA0005.0	M 3	5,0	5,6	1.000
10373AA0006.0	M 3	6,0	5,6	1.000
10373AA0008.0	M 3	8,0	5,6	1.000
10373AA0010.0	M 3	10,0	5,6	1.000
10373AA0012.0	M 3	12,0	5,6	1.000
10373AA0014.0	M 3	14,0	5,6	1.000
10373AA0016.0	M 3	16,0	5,6	1.000
10373AA0018.0	M 3	18,0	5,6	1.000
10373AA0020.0	M 3	20,0	5,6	1.000
10373AA0022.0	M 3	22,0	5,6	1.000
10373AA0025.0	M 3	25,0	5,5	1.000
10373AA0027.0	M 3	27,0	5,6	1.000
10373AA0030.0	M 3	30,0	5,6	1.000
10374AA0004.0	M 4	4,0	7,5	1.000
10374AA0006.0	M 4	6,0	7,5	1.000
10374AA0008.0	M 4	8,0	7,5	1.000
10374AA0010.0	M 4	10,0	7,5	1.000
10374AA0012.0	M 4	12,0	7,5	1.000
10374AA0014.0	M 4	14,0	7,5	1.000
10374AA0016.0	M 4	16,0	7,5	1.000
10374AA0018.0	M 4	18,0	7,5	1.000
10374AA0020.0	M 4	20,0	7,5	1.000
10374AA0022.0	M 4	22,0	7,5	1.000
10374AA0025.0	M 4	25,0	7,5	1.000
10374AA0027.0	M 4	27,0	7,5	1.000
10374AA0030.0	M 4	30,0	7,5	1.000
10375AA0007.0	M 5	7,0	10,0	1.000

Code	A	B	C	MOQ-Pcs
10375AA0008.0	M 5	8,0	10,0	1.000
10375AA0010.0	M 5	10,0	10,0	1.000
10375AA0012.0	M 5	12,0	10,0	1.000
10375AA0014.0	M 5	14,0	10,0	1.000
10375AA0016.0	M 5	16,0	10,0	1.000
10375AA0018.0	M 5	18,0	10,0	1.000
10375AA0020.0	M 5	20,0	10,0	1.000
10375AA0022.0	M 5	22,0	10,0	1.000
10375AA0025.0	M 5	25,0	10,0	1.000
10375AA0030.0	M 5	30,0	10,0	1.000
10375AA0035.0	M 5	35,0	10,0	1.000
10375AA0040.0	M 5	40,0	10,0	1.000
10376AA0008.0	M 6	8,0	11,0	1.000
10376AA0010.0	M 6	10,0	11,0	1.000
10376AA0012.0	M 6	12,0	11,0	1.000
10376AA0015.0	M 6	15,0	11,0	1.000
10376AA0020.0	M 6	20,0	11,0	1.000
10376AA0022.0	M 6	22,0	11,0	1.000
10376AA0025.0	M 6	25,0	11,0	1.000
10376AA0030.0	M 6	30,0	11,0	1.000
10376AA0035.0	M 6	35,0	11,0	1.000
10376AA0040.0	M 6	40,0	11,0	1.000
10376AA0045.0	M 6	45,0	11,0	1.000
10377AA0010.0	M 8	10,0	14,5	1.000
10377AA0012.0	M 8	12,0	14,5	1.000
10377AA0014.0	M 8	14,0	14,5	1.000
10377AA0016.0	M 8	16,0	14,5	1.000
10377AA0018.0	M 8	18,0	14,5	1.000
10377AA0020.0	M 8	20,0	14,5	1.000
10377AA0022.0	M 8	22,0	14,5	1.000
10377AA0025.0	M 8	25,0	14,5	1.000

Code	A	B	C	MOQ-Pcs
10377AA0028.0	M 8	28,0	14,5	1.000
10377AA0030.0	M 8	30,0	14,5	1.000
10377AA0035.0	M 8	35,0	14,5	1.000