

ROUND TUBE END CAPS




Technical description

Material: Polyethylene LD-PE

Colour: Natural

Operating temperature: -30°C ~ +70°C

All dimensions are in mm.



Code	A	B	MOQ-Pcs
3892EA00	4,0	18,8	10.000
3893EA00	5,0	18,8	5.000
3894EA00	6,0	18,5	5.000
3895EA00	6,35	18,5	5.000
3896EA00	7,0	18,5	5.000
3897EA00	8,0	19,8	5.000
3898EA00	9,6	18,8	5.000
3899EA00	10,0	18,8	5.000
3900EA00	11,0	19,7	5.000
3901EA00	12,0	19,6	5.000
3902EA00	12,7	19,9	5.000

Code	A	B	MOQ-Pcs
3903EA00	13,0	19,9	5.000
3904EA00	13,7	19,9	5.000
3905EA00	14,0	16,7	5.000
3906EA00	15,0	20,1	5.000
3907EA00	15,5	16,7	5.000
3908EA00	16,0	16,7	5.000
3909EA00	17,2	18,0	5.000
3910EA00	18,0	18,0	5.000
3911EA00	18,5	18,0	5.000
3912EA00	19,0	18,0	5.000
3913EA00	20,0	20,2	5.000
3914EA00	21,3	20,8	5.000
3915EA00	22,0	20,8	5.000
3916EA00	23,2	21,0	2.250
3917EA00	24,0	21,0	2.000
3919EA00	25,4	21,0	2.000
3920EA00	26,0	25,0	2.000
3921EA00	26,9	25,0	4.000
3922EA00	28,5	25,0	4.000
3923EA00	30,0	25,6	2.000
3924EA00	31,8	19,2	2.000
3925EA00	33,7	19,2	2.000
3926EA00	35,0	25,6	1.800
3927EA00	38,0	20,6	2.500
3929EA00	40,0	25,6	2.000
3930EA00	41,3	20,0	1.000
3931EA00	42,4	25,3	1.000
3932EA00	44,5	21,2	1.000
3933EA00	45,4	21,2	1.250
3934EA00	47,5	25,0	1.000
3935EA00	48,3	30,0	1.000

Code	A	B	MOQ-Pcs
3936EA00	51,0	29,5	1.000
3937EA00	52,0	30,8	800
3938EA00	52,8	30,8	800
3939EA00	54,0	30,0	1.000
3940EA00	55,0	30,0	750
3941EA00	57,0	30,0	1.000
3943EA00	60,3	27,8	1.000
3944EA00	63,5	28,0	600
3945EA00	65,0	28,0	500
3946EA00	67,0	35,4	500
3947EA00	70,0	35,4	600
3948EA00	73,0	29,0	600
3949EA00	75,0	29,0	600
3950EA00	76,2	29,0	600
3951EA00	77,0	30,5	700
3952EA00	78,0	30,5	500
3953EA00	80,0	30,5	500
3955EA00	82,0	30,5	500
3956EA00	83,0	30,5	500
3957EA00	85,0	30,5	350
3958EA00	88,9	35,6	400
3959EA00	92,4	30,0	350
3960EA00	95,0	39,0	400
3961EA00	98,0	31,0	350
3962EA00	100,0	31,0	250
5347EA00	101,6	29,5	350
5348EA00	103,0	41,0	350
5350EA00	108,0	38,6	250
5351EA00	110,0	38,6	350
5352EA00	114,3	40,3	200
5354EA00	117,5	41,5	300

Code	A	B	MOQ-Pcs
5355EA00	121,0	39,0	300
5356EA00	125,0	39,0	250
5357EA00	127,0	36,2	250
5358EA00	130,0	40,0	260
5359EA00	133,0	40,0	250
5360EA00	136,0	40,0	300
5361EA00	138,0	32,5	250
5362EA00	139,7	40,0	250
5363EA00	141,3	40,0	250
5364EA00	146,0	40,0	200
5365EA00	148,0	39,0	200