

# CONTERA REDONDA ESTÁNDAR



## Descripción Técnica


**Material:** Polietileno PE-BD

**Color:** Negro. También disponible en blanco (consúltenos)

**Temperatura de trabajo:** -30°C ~ +60°C

**D=** Diámetro interno del tubo

Todas las medidas están indicadas en mm



| Codigo   | A    | B   | C    | D           | Conf./piezas |
|----------|------|-----|------|-------------|--------------|
| 9300EA01 | 10,0 | 3,5 | 11,5 | 7,0 - 8,4   | 1.000        |
| 9301EA01 | 12,0 | 3,5 | 11,5 | 8,0 - 10,4  | 1.000        |
| 9302EA01 | 13,0 | 4,0 | 11,0 | 10,0 - 11,5 | 1.000        |
| 9303EA01 | 14,0 | 4,5 | 11,5 | 11,0 - 13,0 | 1.000        |
| 9304EA01 | 15,0 | 4,0 | 11,5 | 11,5 - 13,5 | 1.000        |
| 9305EA01 | 16,0 | 5,0 | 11,0 | 12,0 - 14,5 | 1.000        |
| 9306EA01 | 18,0 | 5,0 | 11,5 | 14,0 - 17,0 | 1.000        |
| 9307EA01 | 19,0 | 4,5 | 11,5 | 15,0 - 17,0 | 1.000        |

| Codigo   | A    | B   | C    | D           | Conf./piezas |
|----------|------|-----|------|-------------|--------------|
| 9308EA01 | 20,0 | 4,5 | 11,5 | 15,0 - 17,5 | 1.000        |
| 9309EA01 | 21,0 | 4,5 | 11,5 | 17,0 - 19,4 | 1.000        |
| 9310EA01 | 22,0 | 4,5 | 11,5 | 17,5 - 20,5 | 1.000        |
| 9311EA01 | 23,0 | 4,5 | 11,5 | 19,0 - 21,5 | 1.000        |
| 9312EA01 | 24,0 | 5,0 | 11,5 | 19,0 - 22,0 | 1.000        |
| 9313EA01 | 25,0 | 4,5 | 11,5 | 20,5 - 23,0 | 1.000        |
| 9314EA01 | 25,0 | 4,5 | 11,5 | 17,5 - 20,5 | 1.000        |
| 9315EA01 | 26,0 | 4,0 | 11,5 | 20,5 - 23,5 | 1.000        |
| 9316EA01 | 27,0 | 5,0 | 12,0 | 21,0 - 25,0 | 1.000        |
| 9317EA01 | 28,0 | 5,0 | 12,0 | 23,0 - 25,5 | 1.000        |
| 9318EA01 | 30,0 | 5,0 | 11,0 | 24,0 - 28,0 | 500          |
| 9319EA01 | 30,0 | 5,0 | 11,5 | 21,0 - 25,0 | 1.250        |
| 9320EA01 | 32,0 | 5,0 | 12,0 | 26,0 - 30,0 | 500          |
| 9321EA01 | 34,0 | 5,0 | 11,5 | 28,0 - 32,0 | 500          |
| 9322EA01 | 35,0 | 4,5 | 11,5 | 30,5 - 33,4 | 500          |
| 9323EA01 | 36,0 | 4,5 | 11,5 | 31,0 - 33,5 | 500          |
| 9324EA01 | 37,0 | 5,0 | 11,5 | 31,0 - 35,0 | 500          |
| 9325EA01 | 38,0 | 5,0 | 11,0 | 32,0 - 36,0 | 500          |
| 9326EA01 | 40,0 | 5,0 | 11,5 | 34,0 - 38,0 | 500          |
| 9327EA01 | 40,0 | 5,0 | 11,5 | 30,0 - 34,0 | 500          |
| 9328EA01 | 40,0 | 4,5 | 11,5 | 34,0 - 36,0 | 500          |
| 9329EA01 | 42,0 | 4,5 | 11,5 | 38,5 - 40,5 | 500          |
| 9330EA01 | 42,0 | 5,0 | 11,5 | 37,0-40,4   | 500          |
| 9331EA01 | 42,0 | 5,0 | 11,5 | 32,0-36,0   | 500          |
| 9332EA01 | 45,0 | 5,0 | 11,5 | 41,0 - 42,5 | 500          |
| 9333EA01 | 48,0 | 5,0 | 18,0 | 43,0 - 45,5 | 500          |
| 9334EA01 | 50,0 | 4,5 | 10,0 | 46,0 - 48,0 | 500          |
| 9335EA01 | 50,0 | 5,0 | 11,5 | 41,0 - 45,0 | 500          |
| 9336EA01 | 50,0 | 5,0 | 11,5 | 37,0 - 41,0 | 500          |
| 9337EA01 | 52,0 | 5,0 | 14,5 | 45,0 - 49,0 | 500          |
| 9338EA01 | 55,0 | 5,0 | 14,4 | 49,0 - 53,0 | 500          |

| Codigo   | A     | B   | C    | D           | Conf./piezas |
|----------|-------|-----|------|-------------|--------------|
| 9339EA01 | 60,0  | 5,0 | 18,0 | 54,0 - 57,0 | 100          |
| 9340EA01 | 60,0  | 5,0 | 16,5 | 50,0 - 54,0 | 100          |
| 9341EA01 | 65,0  | 5,0 | 21,0 | 58,0 - 62,0 | 100          |
| 9342EA01 | 70,0  | 5,0 | 21,0 | 61,0 - 66,0 | 100          |
| 9343EA01 | 75,0  | 5,0 | 21,5 | 68,0 - 73,0 | 100          |
| 9344EA01 | 76,0  | 5,0 | 21,5 | 68,1 - 72,9 | 100          |
| 9345EA01 | 80,0  | 5,0 | 21,0 | 74,0 - 77,0 | 100          |
| 9346EA01 | 85,0  | 6,0 | 21,0 | 78,0 - 82,0 | 100          |
| 9347EA01 | 89,0  | 6,0 | 21,0 | 80,9 - 85,3 | 100          |
| 9348EA01 | 90,0  | 5,0 | 21,0 | 82,0 - 87,0 | 100          |
| 9349EA01 | 90,0  | 5,0 | 20,0 | 80,0 - 85,0 | 100          |
| 9350EA01 | 100,0 | 6,0 | 28,0 | 91,0 - 96,0 | 100          |
| 9351EA01 | 108,0 | 6,0 | 28,0 | 98,0-104,2  | 100          |
| 9352EA01 | 110,0 | 6,0 | 28,0 | 101,0-106,0 | 100          |
| 9353EA01 | 125,0 | 6,0 | 34,0 | 113,0-121,0 | 100          |
| 9354EA01 | 150,0 | 6,0 | 34,0 | 136,0-146,0 | 100          |
| 9355EA01 | 160,0 | 6,0 | 34,0 | 146,0-155,0 | 100          |