

PETTINI FISSACAVO ANTISTRAPPO - DOPPIO PASSO M4









Descrizione tecnica

Materiale: PA 6.6


Colore: Nero

Temperatura d'esercizio: -40°C ~ +140°C

Autoestinguenza:V0 (UL94)

Tutte le quote sono in mm





Codice	Α	В	С	D	E	F	Note	Conf./pezzi
16311AA01	63,4	42,0	9,3	35,0	Ø8,7	Ø5,5	-	10
16312AA01	95,0	74,5	9,3	35,0	Ø8,7	Ø5,5	-	10
16313AA01	119,0	108,0	9,3	35,0	Ø8,7	Ø5,5	-	10
16315AA01	63,4	42,0	9,3	35,0	Ø8,7	Ø5,5	Boccole in alluminio - Aluminum bushings - Aluminiumbuchsen	10
16316AA01	95,0	74,5	9,3	35,0	Ø8,7	Ø5,5	Boccole in alluminio - Aluminum bushings - Aluminiumbuchsen	10
16317AA01	119,0	108,0	9,3	35,0	Ø8,7	Ø5,5	Boccole in alluminio - Aluminum bushings - Aluminiumbuchsen	10
16318AA01	63,4	42,0	9,3	35,0	Ø8,7	Ø5,5	Boccole in ottone - Brass bushings - Messingbuchsen	10
16319AA01	95,0	74,5	9,3	35,0	Ø8,7	Ø5,5	Boccole in ottone - Brass bushings - Messingbuchsen	10
16320AA01	119,0	108,0	9,3	35,0	Ø8,7	Ø5,5	Boccole in ottone - Brass bushings - Messingbuchsen	10