

PRESSACAVO DIVISIBILI OSF



Descrizione tecnica


Materiale: PC

Colore: VEDI TABELLA

Autoestinguenza: V0 (UL94)

Temperatura d'esercizio: -40°C ~ +130°C

Tutte le quote sono in mm



Codice	A	B	C	D	E	F	G	H	I	Colore	Conf./pezzi
15939FG01	16,5	28,0	Ø 31,4	M16 X 1,5	24,5	10,5	28,0	5,0	24,0	Nero - Black - Schwarz	10
15939FG11	16,5	28,0	Ø 31,4	M16 X 1,5	24,5	10,5	28,0	5,0	24,0	Grigio - Gray - Grau	10
15940FG01	16,5	28,0	Ø 31,4	M20 X 1,5	24,5	14,5	28,0	7,0	26,0	Nero - Black - Schwarz	10
15940FG11	16,5	28,0	Ø 31,4	M20 X 1,5	24,5	14,5	28,0	7,0	26,0	Grigio - Gray - Grau	10

Codice	A	B	C	D	E	F	G	H	I	Colore	Conf./pezzi
15941FG01	16,5	28,0	Ø 31,4	M25 X 1,5	24,5	28,0	7,0	32,0	Nero - Black - Schwarz	10	
15941FG11	16,5	28,0	Ø 31,4	M25 X 1,5	24,5	28,0	7,0	32,0	Grigio - Gray - Grau	10	
15942FG01	16,5	28,0	Ø 38,6	M32 x 1,5	24,5	28,0	7,0	41,0	Nero - Black - Schwarz	10	
15942FG11	16,5	28,0	Ø 38,6	M32 x 1,5	24,5	28,0	7,0	41,0	Grigio - Gray - Grau	10	