

DISTANZIATORI CILINDRICI DIAM. INT. 1,0 – 18,2 / DIAM. EST. 4,0 – 25,2



Descrizione tecnica

Materiale:

AA: PA 6.6

AB / BB: PA 6.6 25% CV

EA: PE-LD

CA: PVC

Codice colore:

00: Naturale

01: Nero


02: Bianco

Temperatura d'esercizio:

– PA 6.6 25% GF: -35°C ~ +100°C

– LD-PE: -30°C ~ +70°C

Tutte le quote sono in mm



Codice	A	B	C	Conf./pezzi
6422AA00	4,2	1,9	0,5	2.000
6423AA00	4,5	2,0	0,8	2.000
6479AA00	8,8	2,0	1,5	2.000
2238CA01	10,0	2,0	2,0	1.000
2282CA01	12,0	2,0	2,0	1.000
6424AA00	4,5	2,1	0,8	2.000
6427AA00	4,5	2,1	1,7	2.000
6429AA00	5,0	2,1	2,0	2.000
6430AA00	5,0	2,1	1,0	2.000
6425AA00	4,5	2,1	0,9	2.000
6419AA00	3,7	2,2	1,0	2.000
6420AA00	3,7	2,2	1,2	2.000
6448AA00	6,35	2,3	2,5	2.000
6435AA00	6,0	2,3	0,8	2.000
3099BB00	4,5	2,4	5,0	1.000
3106BB00	4,5	2,4	1,0	1.000
3105BB00	4,5	2,4	0,5	1.000
3100BB00	4,5	2,4	10,0	1.000
3098BB00	4,5	2,4	3,0	1.000
3107BB00	4,5	2,4	2,0	1.000
6481AA00	9,0	2,5	1,0	2.000
6421AA00	4,0	2,5	0,5	2.000

Codice	A	B	C	Conf./pezzi
6428AA00	4,5	2,5	0,5	2.000
6436AA00	6,0	2,5	0,5	2.000
6431AA00	5,0	2,5	1,1	2.000
3113BB00	5,0	2,7	2,0	1.000
3111BB00	5,0	2,7	0,5	1.000
3096BB00	5,0	2,7	5,0	1.000
3097BB00	5,0	2,7	10,0	1.000
3112BB00	5,0	2,7	1,0	1.000
3095BB00	5,0	2,7	3,0	1.000
6437AA00	6,0	2,7	3,0	2.000
6438AA00	6,0	2,9	2,35	2.000
4107EA01	6,0	3,0	30,0	1.000
2239CA01	10,0	3,0	2,0	1.000
2283CA01	12,0	3,0	2,0	1.000
6449AA00	6,35	3,0	1,27	2.000
6439AA00	6,0	3,0	1,5	2.000
6455AA00	7,0	3,0	1,0	2.000
6456AA00	7,0	3,0	0,8	2.000
6465AA00	8,0	3,1	2,0	2.000
6463AA00	8,0	3,1	1,0	2.000
0596AA00	7,0	3,1	4,0	1.000
0597BB00	7,0	3,1	5,0	1.000
6432AA00	5,0	3,1	1,0	2.000
6464AA00	8,0	3,1	1,5	2.000
6461AA00	8,0	3,1	0,5	2.000
6462AA00	8,0	3,1	0,8	2.000
6457AA00	7,0	3,1	0,5	2.000
6442AA00	6,0	3,1	3,4	2.000
6441AA00	6,0	3,1	2,0	2.000
6440AA00	6,0	3,1	0,5	2.000
6303AA00	5,0	3,2	4,5	2.000

Codice	A	B	C	Conf./pezzi
6308AA00	5,0	3,2	7,5	2.000
6307AA00	5,0	3,2	7,0	2.000
6306AA00	5,0	3,2	6,0	2.000
6305AA00	5,0	3,2	5,5	2.000
6310AA00	5,0	3,2	9,0	2.000
6302AA00	5,0	3,2	4,0	2.000
6301AA00	5,0	3,2	3,5	2.000
6300AA00	5,0	3,2	3,3	2.000
6299AA00	5,0	3,2	3,0	2.000
6298AA00	5,0	3,2	2,5	2.000
6297AA00	5,0	3,2	2,0	2.000
6309AA00	5,0	3,2	8,0	2.000
0394EA02	11,5	3,2	1,2	1.000
6311AA00	5,0	3,2	9,5	2.000
6327AA00	5,0	3,2	19,0	1.000
6443AA00	6,0	3,2	1,0	2.000
6433AA00	5,0	3,2	0,5	2.000
6338AA00	5,0	3,2	30,0	1.000
6337AA00	5,0	3,2	29,0	1.000
6336AA00	5,0	3,2	28,0	1.000
6335AA00	5,0	3,2	27,0	1.000
6334AA00	5,0	3,2	26,0	1.000
6333AA00	5,0	3,2	25,0	1.000
6332AA00	5,0	3,2	24,0	1.000
6331AA00	5,0	3,2	23,0	1.000
6330AA00	5,0	3,2	22,0	1.000
6328AA00	5,0	3,2	20,0	1.000
6326AA00	5,0	3,2	18,0	1.000
6312AA00	5,0	3,2	10,0	2.000
6325AA00	5,0	3,2	17,5	1.000
6324AA00	5,0	3,2	17,0	1.000

Codice	A	B	C	Conf./pezzi
6323AA00	5,0	3,2	16,8	1.000
6322AA00	5,0	3,2	16,5	1.000
6321AA00	5,0	3,2	16,0	1.000
6320AA00	5,0	3,2	15,5	1.000
6319AA00	5,0	3,2	15,0	1.000
6318AA00	5,0	3,2	14,0	1.000
6317AA00	5,0	3,2	13,6	1.000
6316AA00	5,0	3,2	13,0	1.000
6315AA00	5,0	3,2	12,0	2.000
6314AA00	5,0	3,2	11,0	2.000
6313AA00	5,0	3,2	10,5	2.000
6329AA00	5,0	3,2	21,0	1.000
6304AA00	5,0	3,2	5,0	2.000
0593AA00	7,0	3,3	1,0	2.500
0594AA00	7,0	3,3	2,0	2.500
0595AA00	7,0	3,3	3,0	2.500
4074AB00	10,0	3,4	1,0	2.500
0642AB00	14,0	3,5	4,0	1.000
0641AB00	14,0	3,5	3,0	1.000
0643AB00	14,0	3,5	5,0	1.000
0640AB00	14,0	3,5	2,0	1.000
13186AA00				
0639EA00	14,0	3,5	1,0	1.000
6491AA00	11,5	3,5	4,0	1.000
6460AA00	7,5	3,5	0,5	2.000
6444AA00	6,0	Ø 3,6	1,7	2.000
6466AA00	8,0	3,6	2,5	2.000
6467AA00	8,0	3,6	0,8	1.000
4075BB00	12,0	3,6	1,5	2.500
6459AA00	7,1	3,7	0,5	1.000
6434AA00	5,6	3,73	0,3	1.000

Codice	A	B	C	Conf./pezzi
6445AA00	6,0	3,8	1,0	1.000
6446AA00	6,0	3,8	1,5	1.000
6451AA00	6,5	3,8	0,5	1.000
0657AB01	6,0	4,0	10,0	1.000
0661AB01	6,0	4,0	30,0	1.000
0660AB01	6,0	4,0	25,0	1.000
0659AB01	6,0	4,0	20,0	1.000
6452AA00	6,5	4,0	1,6	1.000
0658AB01	6,0	4,0	15,0	1.000
6453AA00	6,5	4,0	2,5	1.000
0656AB01	6,0	4,0	5,0	1.000
2240CA01	10,0	4,0	2,0	1.000
2284AA00	12,0	4,0	2,0	1.000
0412FA01	11,0	4,0	10,0	2.500
0672AB01	6,0	4,0	35,0	1.000
3093AB01	6,0	4,0	12,7	1.000
3094AB01	6,0	4,0	19,0	1.000
2247CA01	10,0	4,0	2,5	1.000
6471AA00	8,0	4,1	2,0	2.000
6468AA00	8,0	4,1	0,8	1.000
6469AA00	8,0	4,1	1,0	1.000
6361AA00	8,0	4,1	0,5	1.000
6470AA00	8,0	4,1	1,5	2.000
6447AA00	6,3	4,2	1,5	1.000
6454AA00	6,8	4,2	10,0	1.000
0613AA00	10,0	4,3	5,0	2.500
0612AA00	10,0	4,3	4,0	1.000
0611AA00	10,0	4,3	3,0	2.500
0610AA00	10,0	4,3	2,0	1.000
0609AA00	10,0	4,3	1,0	2.500
3114AA00	12,0	4,3	1,5	1.000

Codice	A	B	C	Conf./pezzi
6483AA00	9,6	4,4	0,8	1.000
12802AA00	9,5	4,4	6,4	1.000
6480AA00	9,0	4,5	0,5	1.000
6472AA00	8,0	4,6	0,3	1.000
0402AB01	8,0	5,0	20,0	1.000
0618AB00	14,0	5,0	5,0	1.000
6509AA00	19,5	5,0	1,2	1.000
0617AB00	14,0	5,0	4,0	1.000
0616AB00	14,0	5,0	3,0	1.000
0615AB00	14,0	5,0	2,0	1.000
0614AB00	14,0	5,0	1,0	1.000
12801AA00	9,5	5,0	6,5	1.000
6458AA00	7,0	5,0	1,6	2.000
6473AA00	8,0	5,0	1,0	2.000
6474AA00	8,0	5,0	5,0	1.000
6492AA00	12,0	5,0	2,0	1.000
2241CA01	10,0	5,0	2,0	1.000
0654EA00	18,0	5,0	2,0	1.000
3110AB00	14,0	5,0	1,5	1.000
4124CA01	16,0	5,0	3,0	1.000
13140AA00				
2285CA01	12,0	5,0	2,0	1.000
0401EA01	8,0	5,0	3,7	2.500
0416EA01	14,0	5,0	3,0	2.500
0417EA01	14,0	5,0	9,0	2.500
0397EA01	15,0	5,0	1,5	2.500
0655BB00	8,0	5,1	1,2	1.000
6475AA00	8,0	5,1	2,0	1.000
6476AA00	8,0	5,2	0,5	2.000
6486AA00	10,0	5,2	1,0	1.000
6487AA00	10,0	5,2	2,0	1.000

Codice	A	B	C	Conf./pezzi
6488AA00	11,0	5,2	1,5	1.000
6484AA00	10,0	5,2	0,8	2.000
0630AB01	10,0	5,3	2,0	1.000
0629AA00	10,0	5,3	1,0	2.500
0632EA00	10,0	5,3	4,0	1.000
0633AB01	10,0	5,3	5,0	1.000
0631AB00	10,0	5,3	3,0	1.000
6490AA00	11,3	5,4	1,3	1.000
0378EC01	11,0	5,5	1,5	2.500
0623AB00	10,0	6,0	5,0	1.000
0404EA01	10,0	6,0	6,0	2.500
0622EA00	10,0	6,0	4,0	1.000
0403EA01	10,0	6,0	4,0	2.500
0620AB01	10,0	6,0	2,0	1.000
0619AB00	10,0	6,0	1,0	1.000
2286CA01	14,0	6,0	2,0	1.000
0398EA01	16,0	6,0	1,5	2.500
0621AB00	10,0	6,0	3,0	1.000
0396EA01	14,0	6,0	1,5	2.500
0407EA01	10,0	6,0	12,0	2.500
2242CA01	10,0	6,0	2,0	1.000
6515AA00	30,0	6,0	1,5	1.000
0411EA01	10,0	6,0	19,0	2.500
0410EA01	10,0	6,0	17,0	2.500
0419EA01	17,0	6,0	10,0	2.500
0409EA01	10,0	6,0	15,0	2.500
0408EA01	10,0	6,0	14,0	2.500
0406EA01	10,0	6,0	10,0	2.500
0405FA01	10,0	6,0	9,0	2.500
4095AB01	10,0	6,1	30,0	1.000
4097AB01	10,0	6,1	40,0	1.000

Codice	A	B	C	Conf./pezzi
4096AB01	10,0	6,1	35,0	1.000
4094AB01	10,0	6,1	25,0	1.000
4093BB01	10,0	6,1	20,0	1.000
4092AB01	10,0	6,1	15,0	1.000
4090AB01	10,0	6,1	5,0	1.000
4091AB01	10,0	6,1	10,0	1.000
4098AB01	10,0	6,1	45,0	1.000
3108EA01	29,0	6,2	0,8	1.000
3109EA01	29,0	6,2	1,8	1.000
0703AB00	20,0	6,3	3,0	1.000
0702AB01	20,0	6,3	2,0	1.000
0415EA01	13,0	6,3	3,5	2.500
0701AB01	20,0	6,3	1,0	1.000
0704BB01	20,0	6,3	4,0	1.000
4077AB01	14,0	6,4	1,0	1.000
6493AA00	12,0	6,4	1,4	1.000
0601AB01	12,0	6,4	4,0	1.000
6485AA00	10,0	6,4	2,8	1.000
0603AB01	12,0	6,4	10,0	2.500
0602AB01	12,0	6,4	5,0	1.000
4080BB00	17,0	6,4	1,0	1.000
0600BB01	12,0	6,4	3,0	1.000
6497AA00	12,8	6,4	0,8	1.000
0599EA00	12,0	6,4	2,0	1.000
0598AA00	12,0	6,4	1,0	2.500
4079AB01	14,0	6,4	3,0	1.000
4078AB01	14,0	6,4	2,0	1.000
6494AA00	12,7	6,48	1,52	1.000
6495AA00	12,7	6,48	2,0	1.000
0418EA01	14,0	6,5	7,0	2.500
6482AA00	9,0	6,7	2,0	2.000

Codice	A	B	C	Conf./pezzi
2236CA01	15,5	7,0	4,0	1.000
0604EA00	14,0	7,0	1,0	1.000
2243CA01	10,0	7,0	2,0	1.000
0608AB00	14,0	7,0	5,0	1.000
0607AB00	14,0	7,0	4,0	1.000
6489AA00	11,0	7,0	0,8	1.000
2237CA01	15,5	7,0	5,0	1.000
2287CA01	12,0	7,0	2,0	1.000
0606AB01	14,0	7,0	3,0	1.000
6499AA00	15,0	7,1	1,0	1.000
6502AA00	15,8	7,1	1,5	1.000
3104AB01	20,0	7,2	2,0	1.000
0413FA01	11,5	7,5	5,0	2.500
6496AA00	12,7	7,9	1,57	1.000
2288CA01	12,0	8,0	2,0	5.000
2244CA01	10,0	8,0	2,0	1.000
6514AA00	24,0	8,0	3,0	1.000
0624BB00	14,0	8,0	1,0	1.000
0625AA00	14,0	8,0	2,0	1.000
0626EA00	14,0	8,0	3,0	1.000
0627AA00	14,0	8,0	4,0	1.000
0628BB00	14,0	8,0	5,0	1.000
4104AB01	13,0	8,1	30,0	1.000
4099AB01	13,0	8,1	5,0	1.000
4103AB01	13,0	8,1	25,0	1.000
4106AB01	13,0	8,1	40,0	1.000
4105AB01	13,0	8,1	35,0	1.000
4101AB01	13,0	8,1	15,0	1.000
4100AB01	13,0	8,1	10,0	1.000
6506AA00	18,0	8,2	1,0	1.000
0647AB00	17,0	8,4	4,0	1.000

Codice	A	B	C	Conf./pezzi
0646AB00	17,0	8,4	3,0	1.000
0645AB00	17,0	8,4	2,0	1.000
0644AA00	17,0	8,4	1,0	2.500
0648AB00	17,0	8,4	5,0	1.000
0400EA01	24,0	8,5	2,0	2.500
0414EA01	12,0	8,5	6,0	2.500
2903AB01	18,0	9,0	1,0	1.000
2914AB01	18,0	9,0	5,0	1.000
2915AB01	18,0	9,0	6,0	1.000
2916AB01	18,0	9,0	7,0	1.000
2917EA01	18,0	9,0	8,0	1.000
2905EA00	18,0	9,0	3,0	1.000
5627AA00	15,0	9,2	1,0	1.000
0399EA01	22,0	10,0	2,0	2.500
6504AA00	16,0	10,0	1,5	1.000
6503AA00	16,0	10,0	0,8	1.000
6511AA00	20,7	10,0	3,0	1.000
0650BB00	20,0	10,0	2,0	1.000
2275CA01	21,0	10,0	1,0	1.000
3103AB02	15,0	10,0	3,0	1.000
3102AB02	15,0	10,0	2,0	1.000
3101AB02	15,0	10,0	1,0	1.000
6501AA00	15,0	10,3	5,0	1.000
0664AB01	15,0	10,5	15,0	1.000
0663AB01	15,0	10,5	10,0	1.000
3088NA01	14,5	10,5	45,0	1.000
0662AB02	15,0	10,5	5,0	1.000
0653EA00	14,0	10,5	1,5	1.000
3090AB01	15,0	10,5	18,0	1.000
0652AB01	20,0	10,5	10,0	1.000
0634AB00	17,0	10,5	1,0	1.000

Codice	A	B	C	Conf./pezzi
0651AB00	20,0	10,5	5,0	1.000
0665AB00	15,0	10,5	20,0	1.000
0649AB00	20,0	10,5	1,0	1.000
0638EA00	17,0	10,5	5,0	1.000
0637AB01	17,0	10,5	4,0	1.000
0636AB02	17,0	10,5	3,0	1.000
0635AB01	17,0	10,5	2,0	1.000
3089AB01	15,0	10,5	8,0	1.000
2276CA01	21,0	11,0	1,0	1.000
2269AA01	24,0	11,0	2,0	1.000
6507AA00	19,0	11,0	1,6	1.000
6505AA00	16,0	11,4	3,2	1.000
6498AA00	14,7	11,5	1,0	1.000
2270AA01	24,0	12,0	2,0	1.000
2925AB01	18,0	13,0	5,0	1.000
2278CA01	21,0	13,0	1,0	1.000
2906EA00	18,0	13,0	1,0	1.000
2907EA00	18,0	13,0	2,0	1.000
2908EA00	18,0	13,0	3,0	1.000
2924AB01	18,0	13,0	4,0	1.000
6513AA00	23,0	13,0	2,0	1.000
2928EA00	18,0	13,0	8,0	1.000
2279CA01	21,0	14,0	1,0	1.000
2272CA00	24,0	14,0	2,0	1.000
6508AA00	19,0	14,3	3,2	1.000
2280CA01	21,0	15,0	1,0	1.000
2273CA01	24,0	15,0	2,0	1.000
2274AA00	24,0	16,0	2,0	1.000
2248CA00	20,0	16,0	2,0	1.000
2281CA01	21,0	16,0	1,0	1.000
2910AB01	18,0	16,0	2,0	1.000

Codice	A	B	C	Conf./pezzi
2923AB01	18,0	16,0	8,0	1.000
2909EA00	18,0	16,0	1,0	1.000
2911EA00	18,0	16,0	3,0	1.000
2919AB01	18,0	16,0	4,0	1.000
2920AB01	18,0	16,0	5,0	1.000
6510AA00	20,2	17,8	1,3	1.000
2918AB00	28,0	18,2	4,5	1.000
6512AA00	21,8	19,1	0,5	1.000
2912AB00	25,0	21,0	2,0	1.000
2245CA01	30,0	26,0	2,0	1.000
4128AA00	52,0	38,0	6,0	1.000
4127AA00	52,0	38,0	5,0	1.000
4126AA00	52,0	38,0	4,0	1.000
4129AA00	52,0	38,0	7,0	1.000
6516AA00	45,5	40,0	1,5	1.000
4132AA01	52,0	40,0	6,0	1.000
4130AA01	52,0	40,0	4,0	1.000
4131AA01	52,0	40,0	5,0	1.000
4133AA01	52,0	40,0	7,0	1.000
4137AA01	52,0	42,0	7,0	1.000
4136AA01	52,0	42,0	6,0	1.000
4135AA01	52,0	42,0	5,0	1.000
4134AA01	52,0	42,0	4,0	1.000
4138AA01	52,0	44,0	4,0	1.000
4139AA01	52,0	44,0	5,0	1.000
4140AA01	52,0	44,0	6,0	1.000
4141AA01	52,0	44,0	7,0	1.000